

**LITES nv****www.lites.be****+32 2 254 88 00****Arri**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front</b>	<b>m/ft</b>	<b>Weight</b>	<b>Lenght</b>
<b>Signature Primes</b>							
<b>18mm</b>	<b>1.8</b>	<b>0,35m</b>	<b>&gt;43.3mm</b>	<b>114mm</b>	<b>m</b>	<b>2,0kg</b>	<b>178mm</b>
25mm	1.8	0.35m	>43.3mm	114mm	m	1.9kg	178mm
29mm	1.8	0.35m	>43.3mm	114mm	m	1.8kg	178mm
35mm	1.8	0.35m	>43.3mm	114mm	m	1.7kg	178mm
40mm	1.8	0.35m	>43.3mm	114mm	m	1.8kg	178mm
47mm	1.8	0.45m	>43.3mm	114mm	m	1.8kg	178mm
58mm	1.8	0.45m	>43.3mm	114mm	m	2.0kg	178mm
75mm	1.8	0.65m	>43.3mm	114mm	m	1.9kg	178mm
95mm	1.8	0.85m	>43.3mm	114mm	m	1.9kg	178mm
125mm	1.8	1m	>43.3mm	114mm	m	2.3kg	178mm
200mm	2.5	1.8m	>43.3mm	114mm	m	3.1kg	218mm
<b>MASTER PRIMES 24x</b>							
14mm	1.3	0,35m	34mm	114mm	m/ft	2,4kg	
16mm	1.3	0,35m	34mm	114mm	m/ft	2,2kg	
18mm	1.3	0,35m	33.5mm	114mm	m/ft	2,2kg	
21mm	1,3	0,35m	35mm	114mm	m/ft	2,4kg	
25mm	1.3	0,35m	35mm	114mm	m/ft	2,3kg	
27mm	1.3	0,35m	35mm	114mm	m/ft	2,2kg	
32mm	1.3	0,35m	36.5mm	114mm	m/ft	2,3kg	
35mm	1.3	0,35m	40mm	114mm	m/ft	2,2kg	
40mm	1,3	0,4m	39mm	114mm	m/ft	2,3kg	
50mm	1,3	0,5m	43mm	114mm	m/ft	2,7kg	
65mm	1.3	0,65m	43mm	114mm	m/ft	2,6kg	
75mm	1.3	0,8m	43mm	114mm	m/ft	2,8kg	
100mm	1,3	1m	43mm	114mm	m/ft	2,9kg	
135mm	1,3	0,95m	43mm	114mm	m/ft	2,8kg	
150mm	1,3	1,5m	43mm	134mm	m/ft	4,1	
<b>35mm ULTRA PRIMES 11x</b>							
14mm / N	1.9	0,22m	31.5mm	114mm	m/ft	1,7kg	
16mm / J	1.9	0,25m	33mm	95mm	m/ft	1,2kg	
20mm / F	1.9	0,28m	38mm	95mm	m/ft	1,2kg	
24mm / H	1,9	0,3m	38mm	95mm	m	1kg	
28mm / F	1.9	0,28m	39.5mm	95mm	m/ft	1kg	
32mm / G	1.9	0,35m	43mm	95mm	m	1,1kg	
40mm / J	1.9	0,38m	41mm	95mm	m/ft	1kg	
50mm / J	1.9	0,6m	40mm	95mm	m/ft	1kg	
85mm / J	1.9	0,9m	43mm	95mm	m/ft	1,2kg	
100mm / H	1.9	1m	43mm	95mm	m/ft	1.2kg	
180mm / H	1.9	2,6m	43mm	114mm	m	2,6kg	

**LITES nv****www.lites.be****+32 2 254 88 00****Zeiss**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front</b>	<b>m/ft</b>	<b>Weight</b>	<b>Lenght</b>
<b>ZEISS SUPREME</b>							
<b>18mm</b>	<b>1.5</b>	<b>0.35 / 14"</b>	<b>Full Frame</b>	<b>114</b>	<b>m/ft</b>		
21mm	1.5	0,35	Full Frame	95mm	m/ft	1,61	12,0cm
25mm	1.5	0.26	Full Frame	95mm	m/ft	1.4kg	11,9cm
29mm	1.5	0.33	Full Frame	95mm	m/ft	1.6kg	12,1cm
35mm	1.5	0.32	Full Frame	95mm	m/ft	1.4kg	11,9cm
50mm	1.5	0.45	Full Frame	95mm	m/ft	1.2kg	11,9cm
65mm	1.5	0,60	Full Frame	95mm	m/ft	1,63kg	12,1cm
85mm	1.5	0.84	Full Frame	95mm	m/ft	1.4kg	11,9cm
100mm	1.5	1.1	Full Frame	95mm	m/ft	1.7kg	11.9cm
135mm	1.5	1.4	Full Frame	114mm	m/ft	2,27kg	14,6cm
<b>ZEISS COMPACT PRIMES 13x</b>							
15mm CP2	2.9	12"	FF	114mm	ft		
18mm CP1	3,6	0,30m	S35	114mm	m	0,9kg	
21mm CP1	2,2	0,24m	FF	114mm	m	1kg	
25mm CP1	2,9	0,17m		114mm	m	0,9kg	
25mm CP2	2.1	0,26m	FF	114mm	m	0.9kg	
28mm CP1	2,1	0,24m		114mm	m	1kg	
35mm CP1	2,1	0,3m		114mm	m	1kg	
35mm CP2	1.5	0,3m	FF	114mm	m	1.1kg	
50mm CP1	1,5	0,45m		114mm	m	0,9kg	
85mm CP1	1,5	1m		114mm	m	1kg	
CF 100mm KL	2.1	0,7m	FF	114mm	m		
135mm N	2.1	1m	FF	114mm	m		
50mm Macro CP2	2.1	0,24m	FF	114mm	m		
<b>ZEISS SS OLD MODEL 11x</b>							
18mm	1.3	0,25m	S35	80mm	m	1,3kg	
25mm	1.3	0,25m	S35	80mm	m/ft	1,0kg	
35mm	1.3	0,35m	S35	80mm	m	1,0kg	
50mm	1.3	0,70m	S35	80mm	m	0,8kg	
65mm	1.3	0,70m	S35	80mm	m/ft	1kg	
85mm	1.3	0,90m	S35	80mm	m	1,2kg	
<b>ZEISS STANDARD T</b>							
12mm	2.1	0,25m	S35	134mm	m/ft		
16mm	2.1	0,25m	S35	80mm	m/ft		
20mm	2.1		S35	80mm			
24mm	2.1	0,35m	S35	80mm	m/ft		
28mm	2.1		S35	80mm			
32mm	2.1	0,6m	S35	80mm	m/ft		
40mm	2.1	0,4m	S35	80mm	m/ft		
50mm	2.1	0,45m	S35	80mm	m/ft		
85mm	2.1	0,9m	S35	80mm	m/ft		
100mm	2.1	1m	S35	80mm	m/ft		
135mm	2.1	1.5m	S35	80mm	m/ft		
180mm	2.8	1.5m	S35	80mm	m/ft		

**LITES nv****www.lites.be****+32 2 254 88 00****COOKE**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front diam</b>	<b>Scale</b>	<b>Weight</b>	<b>Lenght</b>
<b>COOKE S4/i</b>							
12mm	2	0,25m	S35	156mm	m/ft	3,1kg	
14mm	2	0,25m	S35	110mm	m/ft	2,2kg	
16mm	2	0,22m	S35	110mm	m/ft	2,5kg	
18mm	2	9"	S35	110mm	ft	1,7kg	
21mm	2	0,25m	S35	110mm	m/ft	2kg	
25mm	2	9"	S35	110mm	ft	1,6kg	
27mm	2	0,25m	S35	110mm	m/ft	1,6kg	
32mm	2	12"	S35	110mm	ft	1,8kg	
35mm	2	0,35m	S35	110mm	m/ft	1,9kg	
40mm	2	16"	S35	110mm	ft	2kg	
50mm	2	0,55m	S35	110mm	m/ft	1,6kg	
65mm	2	0,65m	FF	110mm	m/ft	1,6kg	
75mm	2	0,8m	FF	110mm	m/ft	2kg	
100mm	2	3'	FF	110mm	ft	2,2kg	
135mm	2	2,9"	FF	110mm	ft	2,5kg	
150mm	2	1,1m	FF	125mm	m/ft	3,5kg	
180mm	2	1,3m	FF	136mm	m/ft	4,4kg	
<b>Cooke 7/i</b>							
<b>16mm</b>	<b>2</b>	<b>16"</b>	<b>Full Frame</b>	<b>136mm</b>	<b>m/ft</b>	<b>4.0kg</b>	<b>197mm</b>
<b>21mm</b>	<b>2</b>	<b>16"</b>	<b>Full Frame</b>	<b>110mm</b>	<b>m/ft</b>		
25mm	2	14"	Full Frame	110mm	m/ft	3.3kg	189mm
<b>27mm</b>	<b>2</b>	<b>14"</b>	<b>Full Frame</b>	<b>46.3mm</b>	<b>110mm</b>	<b>m/ft</b>	
32mm	2	14"	Full Frame	110mm	m/ft	3.4kg	189mm
40mm	2	18"	Full Frame	110mm	m/ft	3.5kg	189mm
50mm	2	20"	Full Frame	110mm	m/ft	3.4kg	189mm
<b>65mm</b>	<b>2</b>	<b>19"</b>	<b>Full Frame</b>	<b>110mm</b>	<b>m/ft</b>	<b>3.0kg</b>	<b>189mm</b>
75mm	2	19"	Full Frame	110mm	m/ft	3.0kg	189mm
100mm	2	2'6"	Full Frame	110mm	m/ft	3.3kg	189mm
135mm	2	3'3"	Full Frame	110mm	m/ft	3.7kg	189mm
<b>180mm</b>	<b>2</b>	<b>4'3"</b>	<b>Full Frame</b>	<b>110mm</b>	<b>m/ft</b>		

**LITES nv****www.lites.be****+32 2 254 88 00****COOKE**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front diam</b>	<b>Scale</b>	<b>Weight</b>	<b>Lenght</b>
<b>Cooke mini S4 Speed Panchros 8x</b>							
18mm	2,8	0,25m	S35	110mm	m	1,3kg	
25mm	2,8	0,25m	S35	87mm	m	1,9kg	
32mm	2,8	0,3m	S35	87mm	m	1,7kg	
40mm	2,8	0,4m	S35	87mm	m	1,8kg	
50mm	2,8	0,5m	S35	87mm	m	1,5kg	
75mm	2,8	0,75m	S35	87mm	m	1,6kg	
100mm	2,8	0,9m	S35	87mm	m	1,6kg	
135mm	2,8	1m	S35	87mm	m	1,8kg	
<b>Cooke S3 TLS</b>							
18mm	2.2	8"/0,2	S35	110mm	ft	0.905	
25mm	2.2	7"/0,18	S35	110mm	ft	0.97	
32mm	2.3	9"/0,23	S35	110mm	ft	0.932	
40mm	2.3	13"/0,33	S35	110mm	ft	0.958	
50mm	2.3	15"/0,38	FF	110mm	ft	1.116	
75mm	2.3	2'4"/0,71	FF	110mm	ft	1.358	
100mm	2.8	2'/0,61	S35	110mm	ft	1.906	

**LITES nv****www.lites.be****+32 2 254 88 00****LEICA 1**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front</b>	<b>Scale</b>	<b>Weight</b>	<b>Lenght</b>
<b>LEICA SUMMILUX-C 24x</b>							
16mm	1.4	1'4"	S35	95mm	ft		
18mm	1.4	1'2"	S35	95mm	ft	1.316	
21mm	1.4	1'	S35	95mm	ft		
25mm	1.4	1'	S35	95mm	ft		
29mm	1.4	1'6"	S35	95mm	ft		
35mm	1.4	1'6"	S35	95mm	ft		
40mm	1.4	1'6"	Full Frame	95mm	ft		
50mm	1.4	1'8"	Full Frame	95mm	ft		
65mm	1.4	1'5"	Full Frame	95mm	ft		
75mm	1.4	2'6"	Full Frame	95mm	ft		
100mm	1.4	2'11"	Full Frame	95mm	ft		
135mm	1.4	4'1"	Full Frame	114mm	ft		
<b>LEICA Summicron 20x</b>							
18mm	2	1'	S35	95mm	ft/m		
21mm	2		S35	95mm	m		
25mm	2	1'	S35	95mm	ft/m		
29mm	2		S35	95mm	m		
35mm	2	1'2"	S35	95mm	ft/m		
40mm	2		S35	95mm	m		
50mm	2	2'	S35	95mm	ft/m		
75mm	2		S35	95mm	m		
100mm	2	3'4"	S35	95mm	ft/m		
135mm	2		S35	95mm	m		
<b>LEITZ CINE PRIMES</b>							
<b>21mm</b>	<b>1.8</b>	<b>0,55</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>201,5mm</b>
<b>25mm</b>	<b>1.8</b>	<b>0.55</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>35mm</b>	<b>1.8</b>	<b>0.45</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>40mm</b>	<b>1.8</b>	<b>0.35</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>50mm</b>	<b>1.8</b>	<b>0.47</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>65mm</b>	<b>1.8</b>	<b>0.65</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>75mm</b>	<b>1.8</b>	<b>0.75</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>
<b>100mm</b>	<b>1.8</b>	<b>1.2m</b>	<b>Full Frame</b>	<b>114mm</b>	<b>m</b>	<b>2.9kg</b>	<b>183,7mm</b>

**LITES nv****www.lites.be****+32 2 254 88 00****Leica 2**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front</b>	<b>Scale</b>	<b>Weight</b>	<b>Lenght</b>
<b>LEICA Van Diemen 8x</b>							
15mm	3.9	0,16m	Full Frame	85mm	M	1.145	
19mm	3	0,31m	Full Frame	80mm	M	0.782	
24mm	3	0,18m	S35	100mm	M	1.085	
35mm	1.6	0,24m	S35	80mm	M	1.335	
50mm	1.6	0,35m	S35	80mm	M	1.195	
75mm	1.6	0,45m	Full Frame	80mm	M	1.2	
100mmMAK	3	0,38m	Full Frame	85mm	M	1.985	
135mmMAK	3	0,59m	S35	85mm	M	2	
<b>LEICA R CINESCOPE by TLS</b>							
19mm Elmarit	2.9	9"	Full Frame	110mm	ft	1kg	
24mm elmarit	2.9	12"	Full Frame	110mm	ft	0,8kg	
28mm Elmarit	2.9	8"	Full Frame	110mm	ft	0,9kg	
35mm Summilux	1.5		Full Frame	110mm	ft	1,4kg	
50mm Summilux	1.5	17"	Full Frame	110mm	ft	1kg	
80mm Summilux	1.5	2'2"	Full Frame	110mm	ft	1,5kg	
135mm Elmarit	2.9	3'4"	Full Frame	110mm	ft	1,57kg	
60mm Makro elmarit	2.9	10,6"	Full Frame	110mm	ft	1,44kg	
100mm Makkro Elmarit	2.9	17"	Full Frame	110mm	ft	1,92kg	
<b>LEICA summilux - M 0.8</b>							
21mm	1.4	0.7m	Full Frame	80mm	M		
24mm	1.4	0.7m	Full Frame	80mm	M		
28mm	1.4	0.7m	Full Frame	80mm	M		
35mm	1.4	0.7m	Full Frame	80mm	M		
50mm	0.95	1m	Full Frame	80mm	M		
<b>LEICA THALIA</b>							
24mm	3.6	0,2m	Full Frame	85mm	M/ft	1,42	
30mm	2.9	0,5m	Full Frame	95mm	M/ft	1,50	
35mm	2.6	0.55m	Full Frame	95mm	M/ft	1,40	
45mm	2.9	0,6m	Full Frame	95mm	M/ft	1,46	
55mm	2.8	0,3m	Full Frame	95mm	M/ft	1,64	
70mm	2.6	0,5m	Full Frame	95mm	M/ft	1,06	
100mm	2.2	0,7m	Full Frame	95mm	M/ft	1,16	
120mm	2.6	0,57m	Full Frame	95mm	M/ft	1,66	
180mm	3.6	1,5m	Full Frame	95mm	M/ft	1,62	

**LITES nv****www.lites.be****+32 2 254 88 00****16mm FIX FOCALS @ LITES**

<b>Focal</b>	<b>diaf</b>	<b>MOD</b>	<b>Image Circle</b>	<b>Front Diam</b>	<b>Scale</b>	<b>Weight</b>	<b>Lenght</b>
<b>ULTRA PRIMES 9x</b>							
6mm G	1.3	0,2m		95mm	m		
8mm H	1.3	0,3m		95mm	m		
9,5mm NP	1.3	0,3m		95mm	m		
12mm LN	1.3	0,3m		95mm	m		
14mm N	1.3	0,3m		95mm	m		
18mm NP	1.3	0,3m		95mm	m		
25mm S	1.3	0,3m		95mm	m		
35mm LN	1.3	0,35m		95mm	m		
50mm S	1.3	0,4m		95mm	m		
<b>Optex</b>							
Optex 8mm	1.8	0,4m		90mm	m		

**LITES nv****www.lites.be****+32 2 254 88 00****SPHERICAL ZOOMLENSES**

mm	diaf	MOD	Image Circle	front diam	Scale	weight	length
<b>Arri Alura</b>							
18-80mm	2.6	0,7m	S35	134mm	m/ft	4.5	285mm
30-80mm	2.8	0,6m	S35	114mm	m/ft	2.5	225mm
15,5-45mm	2.6	0,45m	S35	114mm	m/ft	2	225mm
<b>Angenieux</b>							
Optimo 15-40	2.6	2ft	S35	114mm	ft	2,0kg	186mm
Optimo 28-76	2.6	2ft	?	114mm	ft	2,0kg	186mm
Optimo 17-80	2.2	0,61m	S35	136mm	m	5,5kg	326mm
Optimo 24-290	2.8	4'	S35	162mm	m/ft	11,6kg	440mm
Optimo 45-120	2.8	3'1"	S35	114mm	ft	1,95kg	203mm
<b>Optimo Ultra 12x 24-290</b>	<b>2.8</b>	<b>1,22m/4ft</b>	<b>S35</b>	<b>31,1mm</b>	<b>m/ft</b>	<b>12,6kg</b>	<b>472mm</b>
<b>Optimo Ultra 12x 26-320</b>	<b>3.1</b>	<b>1,24m/4'1"</b>	<b>U35</b>	<b>34,6mm</b>	<b>m/ft</b>	<b>12,75kg</b>	<b>481mm</b>
<b>Optimo Ultra 12x 36-435</b>	<b>4.2</b>	<b>1,52m / 5ft</b>	<b>Full Frame</b>	<b>46,3mm</b>	<b>m/ft</b>	<b>12,75kg</b>	<b>523mm</b>
Ang 25-250 Optimo Style	3.5	4'	S35	136mm	ft	9,2kg	383mm
Ang 25-250 HR	3.5	5'7"	?	136mm	ft/m		300mm
Ang EZ-1 30-90 S35	2	2ft	S35	114mm	ft	2,15kg	226mm
Ang EZ-1 45-135 FF	3	2ft	Full Frame	114mm	ft	2,05kg	226mm
Ang EZ-2 15-40 S35	2	2ft	S35	114mm	ft	2,12kg	210mm
Ang EZ-2 22-60 FF	3	2ft	Full Frame	114mm	ft	2,07kg	210mm
<b>Fujinon zoom</b>							
Cabrio 19-90	2.9	2,1ft	S35	114mm	ft		230mm
<b>Zeiss LWZ 2</b>							
Zeiss LWZ 2 15,5-45	2.6	0,45m	?	114mm	m/ft		210mm
<b>Hawk zoom</b>							
Hawk 150-450	2.8	10ft	S35		ft	16kg	
<b>Canon Zoom</b>							
Canon 17mm-120mm	2.95	0,85m/2'8"	S35	114mm	m/ft		260mm
<b>GL OPTIX</b>							
GL 70-200 CA3MK1	2.8	1,5m	Full Frame	114mm	m	3kg	
GL 18-35 SS zoom	2	0,28m	S35	95mm	m	1,2kg	119mm
GL 11-16mm	3	0.3m		95mm	m		
<b>TLS NIKON zoom</b>							
TLS Nikon Aurora 24-70	2.8	16"	Full Frame	110mm	ft	2kg	170mm
TLS Nikon Morpheus 80-200	2.8	5ft	Full Frame	110mm	m	2kg	187mm



LITES nv

www.lites.be

+32 2 254 88 00

**Other GLASSES**

Focal	diaf	MOD	Image Circle	front diam	Scale	Weight	Lenght
<b>Canon</b>							
18mm K35	2.8	1ft	S35	95mm	ft		
24mm K35	1.4	1ft	FF	80mm	ft		
35mm K35	1.4	1ft	FF	80mm	ft		
55mm K35	1.4	2ft	FF	80mm	ft		
85mm K35	1.4	3ft	FF	80mm	ft		
200mm K35	2.8				ft/m		
Canon 300/600	2.8	3m	S35	125mm	m/ft		
<b>Laowa</b>							
<b>12mm</b>	<b>2.9</b>	<b>0,18m</b>	<b>FF &amp; Vista Vision</b>	<b>102mm, 114mm adapt incl</b>	<b>m</b>	<b>0,675kg</b>	<b>87mm</b>
<b>Sigma</b>							
<b>14mm</b>	<b>2</b>	<b>0.27m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
20mm	1.5	0,27m	Full Frame	95mm	m	1,24kg	110mm
<b>24mm</b>	<b>1.5</b>	<b>0.25m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>28mm</b>	<b>1.5</b>	<b>0.28m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>35mm</b>	<b>1.5</b>	<b>0.3m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>40mm</b>	<b>1.5</b>	<b>0.4m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>50mm</b>	<b>1.5</b>	<b>0.4m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>85mm</b>	<b>1.5</b>	<b>0.85m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
<b>105mm</b>	<b>1.5</b>	<b>1m</b>	<b>Full Frame</b>	<b>95mm</b>	<b>m</b>		<b>110mm</b>
135mm	2	0.88m	Full Frame	95mm	m		110mm
<b>Petzval by TLS</b>							
<b>58mm</b>	<b>2.1</b>	<b>2'</b>	<b>FF</b>	<b>110mm</b>	<b>ft/(m)</b>	<b>1kg</b>	<b>78mm</b>
<b>85mm</b>	<b>2.3</b>	<b>3'</b>	<b>FF</b>	<b>110mm</b>	<b>ft/(m)</b>	<b>1.4kg</b>	<b>95mm</b>
<b>Kowa Cine Prominar spherical by TLS</b>							
15mm	4	1ft	35	125mm	ft		
<b>Super Baltar Lenses by TLS</b>							
20mm	2,3	18"	S35	110mm	ft		
25mm	2,3	1 1/2 ft	35	110mm	ft		
35mm	2,3	18"	S35	110mm	ft		
50mm	2,3	18"	S35	110mm	ft		
75mm	2,3	22"	FF+	110mm	ft		
100mm	2,3	4ft	FF+	110mm	ft		
152mm	3	6ft	FF+	110mm	ft		
<b>RED LENSES</b>							
18mm	1,8	0,33m	S35	110mm	m		
25mm	1,8	0,31m	S35	110mm	m		
35mm	1,8	0,31m	S35	110mm	m		
50mm	1,8	0,31m	S35	110mm	m		
85mm	1,8	0,61m	FF	110mm	m		
100mm	1,8	0,77m	FF	110mm	m		
300mm	2,8	8 ft		117,4mm	FEET		
<b>RANGE EXTENDERS</b>							
Century 2x							
P&S 2x							
IBE 2x							
IBE 1.4x							
IBE UMS PL VVx2							
IBE UMS Velociter x0,8							
Optimo 1,4x							

<b>LITES nv</b>		<b>www.lites.be</b>		<b>+32 2 254 88 00</b>			
<b>ANAMORPHIC FIX FOCALS</b>							
mm	diaf	MOD	Image Circle	front diam.	m/ft	weight	lenght
<b>Hawk C-series</b>							
35mm	2.2	3+1/2 ft	S35	142mm	ft	4,5kg	
50mm	2.2	3+1/2 ft	S35	110mm	ft	2,2kg	
75mm	2.2	3+1/2 ft	S35	110mm	ft	2,6kg	
100mm	3	3+1/2 ft	S35	110mm	ft	2,9kg	
<b>Hawk V-series</b>							
35mm	2.2	2,6 ft	S35	156mm	ft / m	5,6kg	
40mm	2.2	2,6 ft	S35	156mm	ft / m	6,2kg	
50mm	2.2	2 ft	S35	125mm	ft / m	3,7kg	
75mm	2.2	2 ft	S35	125mm	ft / m	4,6kg	
100mm	2.2	3,6ft	S35	125mm	ft / m	6,6kg	
135mm	3	3,6ft	S35	125mm	ft	6,3kg	
180mm	3	6,6ft	S35	142mm	ft / m	7,5kg	
250mm	3	6,6ft	S35	142mm	ft / m	7,8kg	
<b>HAWK V-Lite</b>							
28mm	2.2	2+3/4	S35	120mm	ft	2,3kg	
35mm	2.2	3+1/2	S35	120mm	ft	2,9kg	
45mm	2.2	3+1/2	S35	104mm	ft	1,9kg	
55mm	2.2	3+1/2	S35	104mm	ft	2kg	
80mm	2.2	3+1/2	S35	104mm	ft	2,3kg	
110mm	3	3+1/2	S35	104mm	ft	2,6kg	
<b>MASTER ANAMORPHIC</b>							
28mm	1.9	2ft3"	S35	114mm	m/ft	2.6kg	
35mm	1.9	0,75m	S35	95mm	m/ft	2,6kg	
40mm	1.9	0,70m	S35	95mm	m/ft	2,7kg	
50mm	1.9	0,75m	S35	95mm	m/ft	2,6kg	
60mm	1.9	0,90m	S35	95mm	m/ft	2,7kg	
75mm	1.9	0,90m	S35	95mm	m/ft	2,6kg	
100mm	1.9	0,95m	S35	95mm	m/ft	3,1kg	
135mm	1.9	1.2m	S35	95mm	m/ft		
180mm	2.8	1.5m	S35	95mm	m/ft		
<b>COOKE ANAMORPHIC / i</b>							
25mm	2.3	3'	S35	136mm	ft	2.7kg	
32mm	2.3	2'9"	S35	110mm	ft	2,7kg	
40mm	2.3	2'9"	S35	110mm	ft	2,9kg	
50mm	2.3	2'9"	S35	110mm	ft	2,7kg	
65mm MAKRO	2.6	1'6"	S35	136mm	ft	zwaar	
75mm	2.3	3'3"	S35	110mm	ft	2,6kg	
100mm	2.3	3'9"	S35	110mm	ft	2,9kg	
135mm	2.3	5'	S35	110mm	ft	3.2kg	
180mm	2.8	6'6"	S35	110mm	ft		
<b>COOKE ANAMORPHIC SF</b>							
25mm	2.3	3'	S35	110mm	ft		
32mm	2.3	2'9"	S35	110mm	ft		
<b>40mm</b>	<b>2.3</b>	<b>2'9"</b>	<b>33,54</b>	<b>110mm</b>	<b>ft/m</b>	<b>3,4kg</b>	
50mm	2.3	2'9"	S35	110mm	ft		
75mm	2.3	3'3"	S35	110mm	ft		
100mm	2.3	3'9"	S35	110mm	ft		
<b>135mm</b>	<b>2.3</b>	<b>5'</b>	<b>33,54</b>	<b>110mm</b>	<b>ft/m</b>	<b>4,2kg</b>	
<b>ATLAS LENS CO. ORION SERIES</b>							
32mm	2	1'9"	S35	114mm	ft		
40mm	2	2'	S35	114mm	ft	2,2kg	
50mm	2	2'6"	S35	114mm	ft		
65mm	2	2' 3/4	S35	114mm	ft	2,2kg	
80mm	2	3'	S35	114mm	ft		
100mm	2	3' 1/2"	S35	114mm	ft	3kg	

**LITES nv****www.lites.be****+32 2 254 88 00****ANAMORPHIC ZOOMLENSES**

mm	diaf	MOD	Image circle	front diam.	Scale	weight	Lenght
<b>Angenieux</b>							
56-152	4	2'1"	S35	114mm	ft	2,2kg	
30-72	4	0,65m	S35	114mm	m		
<b>Arri</b>							
19-36	4.2	2ft		114mm	ft	5,5kg	
<b>Cooke</b>							
35-140	3.1	4ft	33.54mm	136mm	ft	11,2kg	430mm
<b>Lomo</b>							
100-300	2	1.2m	33		m	6kg	280mm
<b>with anam. back adapter</b>							
Angenieux 50-500			S35	136mm	m/ft		340mm
Optimo 48-580		4"	S35	162mm	m/ft	11,7kg	480mm

**LITES nv****www.lites.be****+32 2 254 88 00****MACRO LENSES**

Focaal	diaf	MOD	image circle	Front diam	Scale	Weight	Lenght
<b>MASTER PRIME MACRO</b>							
100mm	2	n / 1:1 / +2,3 s	S35 - FF	114mm	m	2,8kg	
<b>COMPACT PRIMES</b>							
50mm R Macro CP2	2.1	0,24m	FF	114mm	m		no
<b>ARRI MACRO'Swith automatic exposure compensation</b>							
16mm	2.8	0,15m / 1:4	35	80mm			
24mm	2.8	0,18m / 1:4	S35	80mm			
32mm	2.8	0,21m / 1:4	35	80mm			
40mm	2.8	0,25m / 1:4	S35	80mm		0,8kg	
50mm	2.8	0,2m / 1:1	S35	80mm			
<b>LAOWA</b>							
24mm	14	0.45m	FF+		EF MOUNT		
24mm	14	0.45m	FF+		PL MOUNT		
<b>Leica MACRO</b>							
100mmMAK	3	0,38m	S35	80mm	M	1.985	
135mmMAK	3	0,59m	S35	80mm	M	2	
60mm Leica R Makro	2.9	10,6"	FF	110mm	ft		
100mm Leica R Makro	2.9	17"	FF+	110mm	ft		
<b>IBE Raptor MACRO</b>							
100mm	2.9	0,31m	FF+	95mm	m/ft	1,55kg	
150mm	2.9	0,38m	FF+	95mm	m/ft	1,76kg	
180mm	2.9	0,47m	FF+	95mm	m/ft	2,48kg	
<b>ANAMORPHIC MACRO</b>							
Cooke 65 Anamorphic	2.3	18"	S35	136mm	ft	5,5kg	

## Lenses for Photography

EF mount lenses DSLR	focaal	diaf	MOD	Front dia	lenght
<b>CANON EF-mount lenses</b>					
Canon zoom EF	16-35mm	2.8	0,28 m	88,5mm	111,2mm
Canon zoom EF	24-70mm	2.8	0,7 m		
Canon zoom EF L II USM	24-70mm	2.8	0.38m	82mm	113mm
Canon zoom EF	70-200mm	2.8	1,5m		
Canon EF	24 mm	1.4	0,25 m		
Canon EF	35 mm	1.4	0,3 m		
Canon EF	50 mm	1.4	0,45 m		
Canon EF	85 mm	1.8	0,85 m		
Canon EF	100 mm	2	0,9 m		
Canon EF	135mm	2	0,9 m		
Canon Macro EF L IS USM	100mm Macro	2.8	0.3m	67mm	125mm
Canon Tilt Shift TSE	17mm	4	0,25m		
Canon Tilt Shift TSE	24mm	3.5	0,21m		
Canon Tilt Shift TSE	45mm	2.8	0,40m		
Canon Tilt Shift TSE	90 mm	2.8	0,5 m		
extender EF	1,4 x	-	-		
<b>SONY E-mount lenses</b>					
<b>Sony Zoom GMaster</b>	<b>12-24mm</b>	<b>2.8</b>	<b>0.28m</b>	<b>-</b>	
<b>Sony Zoom GMaster</b>	<b>16-35mm</b>	<b>2.8</b>	<b>0.28m</b>	<b>82mm</b>	
<b>Sony Zoom GMaster</b>	<b>24-70mm</b>	<b>2.8</b>	<b>0.38m</b>	<b>82mm</b>	
<b>ZEISS EF-mount lenses</b>					
18mm distagon	18mm	T3.5	0.29m		
28 mm distagon	28mm	T2	0,24 m		
35 mm distagon	35 mm	T2	0,3 m		
50 mm makro planar	50 mm Macro	T2	0,24 m		
85 mm planar	85mm	T1,4	1 m		
100 mm makro planar	100 mm Macro	T2	0,44 m		